

Maintenance procedure: first time maintenace after installation

Dust removal and glue removal: use dust push to thoroughly clean the garbage and dust on the ground. If there is gum and gum residue, use 3M orange detergent to remove it.

Cleaning: use 3M clean pad + detergent, clean the floor with a floor washer, suck away the sewage, and wait for the ground to be completely dry. If neutral detergent is used, overwashing steps can be avoided.

Waxing: Using waxing tool/ mop to wax easily, pour the wax water on the ground, use figure 8

wax, it is recommended to apply 3-5 layers of wax, ensure that the top layer of wax thoroughly dry before each application.

Using easy sticky dust cloth to push dust, ensure the wax surface clean

Relle's supply

Equipped devices list for cleaning and maintenance :such as 3M or other brands can be bought locally or from China Relle





Wax

Our Relle quantity just can be used for one time

Maintenance procedure: Daily cleaning

- When the dirt is not serious, cleaning with neutral cleaner diluted and high-efficiency cleaning wipe Cloth or use 3M microfiber or other brand flat drag with neutral detergent. Wet drag mopping: 1-2 times a day.
- When encountering serious dirt or black mark, use 3M or other same type cleaning pad + multi-function cleaner to clean. Dilution ratio 1:50, it is recommended to clean once a day, push dust once.
- When the dirt is not serious and requires a large area of floor cleaning, use 3M cleaning and polishing two-in-one clean pad with water or other brand neutral cleaner.

When the gloss of the wax surface is reduced or there are many black marks and scratches on the wax surface, use 3M polishing pad with response speed for polishing.

Equipped devices list for cleaning and maintenance :such as 3M or other brands







Neutral cleaner

Efficient cleaning cloth Microfiber flat drag



5100 Red clean pad



5300 Blue clean pad



Multi function cleaning agent



SPP Plus clean pad



Multi function cleaning agent



3600 professional scratches removal



4100 white polishing pad


Daily cleaning: Heavy duty decontamination

When there is serious black mark or dirt on the wax surface, 3M 5300 blue sheet pad with strong detergents can be used for cleaning, which can be combined with automatic floor washing machine cleaning




3M blue sheet pad has strong cleaning power and little damage to the floor

Especially suitable for high flow of people, heavy dirt areas, such as: main entrance, elevator entrance, tea room...





Daily cleaning: Delicate floor/wax surface



- For some delicate floor material or wax surface, the use of ordinary red pad cleaning may lead to gloss loss or even scratches, recommended to use clean polishing two in one hundred clean pad
- With the use of automatic floor washing machine, the cleaning force is strong and will not damage the ground
- Continuous cleaning every day, 2-3 weeks can improve the luster of the ground

Two in one cleaning and polishing pad

Routine care is easier

- Remove the dirt
- Improve the brightness
- · Remove the black seal



Daily cleaning: Recovery of wax gloss




Professional finish 3M 3600 pink


- Magic as eraser, quickly wipe wax stains; Especially suitable for black marks and scratches; Minimal damage to wax surface;
- Wipe like a head, not like a knife blade; At the same time, extremely bright wax surface is obtained. Especially effective for high-throughput waxed floors, reducing polishing
- times and removing black marks easily and effectively. Very little dust is
- generated during the polishing process.





Maintenance procedure: washing and re-waxing





In the daily cleaning process, dirt begins to penetrate into the soft surface wax layer.

Brushing and repairing wax can remove 1-2 layers of dirty wax on the surface, and restore the bright appearance of the wax surface by adding 1-2 layers of new wax.

- It is recommended to scrub and fill wax every 2-3 months
- After cleaning with 3M SPP pad + neutral detergent or water,
- apply 1-2 layers of wax after the floor is dry
 After cleaning, fill 1-2 layers of wax after the ground is dry

