



Re11e
www.relleflooring.Com

Carpet Tile




RRP Series





RRP-19



RRP-25




RRP-52



RRP-18



RRP-55



RRP-56



RRP-29



RRP-61



RRP-60



RRP-08



RRP-16



RRP-38



RRP-39



RRP-09



RRP-41



RRP-07



RRP-10




RRP-66



RRP-05




RRP-73



RRP-06



RRP-74



RRP-01



RRP-32




RRP-76



RRP-75




RRP-11




RRP-03



RRP-36




RRP-35




RRP-04



RRP-02



RRP-71



RRP-70


Specification 技术指标

Product Name 产品名称


RRP

Tufted construction 簇绒结构	Level Loop 平圈
Fiber 纱线	100% Nylon 100% 尼龙
Dye method 染色工艺	Solution Dyed 原液染色
Gauge 针距	5/64
Tufted weight(g/m ²) 绒重 (克 / 平方米)	550 ± 5%
Tile size(mm) 地毯尺寸 (毫米)	500 x 500
Pile height(mm) 平均绒高 (毫米)	4.0 ± 0.5
Total thickness(mm) 总厚度 (毫米)	6.5 ± 0.5
Standard Backing 标准底背	Glass fiber reinforced PVC

Recommended installation methods 建议铺装方式



Monolithic
顺铺



Quarter-turn
对角铺



Anti-fouling




Anti-static



Environmental



Passed various tests



Fashion colors



100% B,C,F Yarn



Reduced Flammability



Isolation acoustic



Colorfast



Chair roulettes



No zipper




Wear resistance



Soil Resistance




Wear Warranties




Dimensional Stability




Long life-span




Easy to transport



Non-mold



RRP-03




RRP-03-32-36-38-39

1:1:1:1:1




RRP-35-61




RRP-11-36

1:1




RRP-66








BBP-02-11-19-32-36-61

2:1.5:1.5:1.5:2:1.5







RRP-38



RRP-35-39





RRP-10-11-25-32-35-36-38-39




RRP-32





RRP-03-52





RRP-03-18

